

L Number	Hits	Search Text	DB	Time stamp
1	228430	382/\$.ccls. or 345/\$.ccls. or 348/\$.ccls. or 341/\$.ccls. or 386/\$.ccls. or 358/\$.ccls. or 715.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 02:14
2	28774	345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:54
6	83185	(just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:20
8	14709	((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 02:27

09/816,324

9	224	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 02:26
10	2529	((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmvs\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 02:28

11	98	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 02:28
12	1010722	(partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)  near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:22
13	39768	((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)  near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:25

14	823	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:24
15	10801	<p>(((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:25

16	361	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:31
----	-----	--	---	------------------

17	320	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4))) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:38
----	-----	--	---	------------------

18	706044	<p>(partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:41
19	122091	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:41
20	4806	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:41

21	168	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:41
----	-----	--	---	------------------



22	141	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or volume or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:53
----	-----	---	---	------------------

23	221284	<p>(partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:53
24	47951	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:54
25	1810	<p>((((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 05:54

27	66	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 08:22
----	----	---	---	------------------

26	80	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))</p> <p>(partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/01/26 06:06
28	200563	<p>(partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/01/26 10:12

29	4152	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:12
30	941	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near4 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)) same (imag\$3 or pixel\$4 or pel\$1 or video\$1 or photo\$5 or photographic\$4 or film\$1 or scene\$1 or frame\$1 or field\$1 or pictur\$3 or pictorial\$4 or bitmap\$3 or bit adj1 map\$3 or pixmap\$3 or pix-map\$3 or pix adj1 map\$3 or raster\$7 or gray\$3 or grey\$3 or gop or macroblock\$3 or macro-block\$3 or macro adj1 block\$3 or macroblock or alpha or VOP or plane\$1 or mask\$3 or RGBA or RBGA or bitmask\$3 or transparenc\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 08:27

31	111	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)) same (imag\$3 or pixel\$4 or pel\$1 or video\$1 or photo\$5 or photographic\$4 or film\$1 or scene\$1 or frame\$1 or field\$1 or pictur\$3 or pictorial\$4 or bitmap\$3 or bit adj1 map\$3 or pixmap\$3 or pix-map\$3 or pix adj1 map\$3 or raster\$7 or gray\$3 or grey\$3 or gop or macroblock\$3 or macro-block\$3 or macro adj1 block\$3 or macroblock or alpha or VOP or plane\$1 or mask\$3 or RGBA or RBGA or bitmask\$3 or transparenc\$4))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 08:28
----	-----	--	---	------------------

32	70	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1)) same (imag\$3 or pixel\$4 or pel\$1 or video\$1 or photo\$5 or photographic\$4 or film\$1 or scene\$1 or frame\$1 or field\$1 or pictur\$3 or pictorial\$4 or bitmap\$3 or bit adj1 map\$3 or pixmap\$3 or pix-map\$3 or pix adj1 map\$3 or raster\$7 or gray\$3 or grey\$3 or gop or macroblock\$3 or macro-block\$3 or macro adj1 block\$3 or macroblock or alpha or VOP or plane\$1 or mask\$3 or RGBA or RBGA or bitmask\$3 or transparenc\$4))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((just or mere\$3 or alone or only or exclusi\$4 or isolat\$7 or single or singly or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4) near7 (partial\$4 or portion\$4 or subset\$1 or piece\$3 or part\$3 or section\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or local\$7 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1) near7 (fulnes\$3 or fullnes\$3 or volume or target\$1 or amount\$1 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) near7 (Motion\$3 or motion-compensation\$1 or motion-estimation\$1 or vector\$1 or movement\$1 or moving\$2 or velocit\$3 or dmv\$ or mv\$1 or pmv\$ or mc\$2 or me\$1 or mv\$1))) not (((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 08:28
Search History	1/26/04	32-52-49-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or		

33	9282	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:13
35	1586	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:15



36	54	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))</p> <p>(partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/01/26 09:43
37	307646	<p>(partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/01/26 10:13

40	24187	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near7 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:15
41	5361	<p>((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) near7 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:16

42	149	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near7 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/26 10:16
----	-----	---	---	------------------

43	95	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near7 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near7 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near7 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or control\$4 or elect\$3 or exchang\$4 or modifi\$3 or modify\$3 or mutat\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((partial\$4 or portion\$4 or subset\$1 or piece\$3 or segment\$5 or subdivi\$6 or divis\$5 or partition\$5 or fragment\$5 or zone\$1 or zoning\$3 or tract\$5 or neighbo\$4 or nieghbo\$4 or ROI or AOI or shap\$4 or region\$4 or area\$1 or interior\$1 or enclos\$5 or region-of-interest\$4 or area-of-interest\$4 or salient or salienc\$4 or subregion\$2 or sub-region\$2 or content\$1 or canvas\$4 or mask\$4 or alpha adj1 map\$3 or alpha-map\$4 or alphamap\$4 or RGBA or RBGA or composit\$4 or pixmap\$4 or pix-map\$4 or bitmask\$4 or bit-mask\$4 or transparen\$4 or invisib\$7 or occult\$7 or VOP or object-plane\$1)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4) ) near4 (just or only or exclusi\$4 or solely or except\$4 or eliminat\$5 or rule\$1 adj1 out or bar or debar or exclud\$4 or "not" or isnt or "isn't" or wont or "won't" or none or without or with-out or "with" adj1 out or cant or "can't" or cannot or willnot or havent or "haven't" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/01/26 12:11
Search History	1/26/04	<p>12:11:03 PM "have not" or "aren't" or arent or will-not or does-not or "doesn't" or doesnt or no)) near4 (based-on or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or</p>		

44	6	5729295.pn. or 6028965.pn. or 6356664.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/26 12:11
----	---	---	---	------------------